

WARNING:
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

CYROSHIELD SPRAY-ON

FOR THE RESIDUAL PROTECTION OF SHEEP AGAINST
FLYSTRIKE CAUSED BY ALL THE COMMONLY FOUND
STRIKE FLIES INCLUDING THE AUSTRALIAN BLOWFLY
(LUCILIA CUPRINA) FOR UP TO 8 WEEKS.

Active Ingredient:
60g/L cyromazine

NET CONTENT: 20L



CYROSHIELD SPRAY-ON

PLEASE READ LABEL COMPLETELY BEFORE USE


Cyrosshield spray-on is an easy to use spray-on that will give residual protection against flystrike caused by all the common strike flies including the Australian blowfly (*Lucilia cuprina*) for up to 8 weeks. Cyrosshield spray-on is only for use on coarse wool breeds of sheep. Cyrosshield spray-on is suitable for use on sheep between 4 and 12 weeks after shearing. The period of protection may be reduced by incorrect application; excessive fleece soiling; heavy fleece conditioning; if infection such as mycotic dermatitis (fleece rot) are present; or if prolonged heavy rain occurs following application.

DIRECTIONS FOR USE.

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using this product other than as directed on the label. **Shake gently before use.** Apply Cyrosshield spray-on through a suitable clean applicator gun. The product should be sprayed on in bands with the gun held 20cm above the wool during application. Cyrosshield spray-on should be applied onto those areas where maximum protection against flystrike is required. Cyrosshield spray-on applied between the rump and shoulders should be sprayed on in even bands as shown (see diagram 1). The product sprayed onto the rump should be applied in an arc over the area shown (see diagram 2). The dose rate and number of bands to be applied are shown in the tables.

Note: The dose volume should be based on the heaviest sheep in the mob.

Diagram 1



Application and dose rate of Cyrosshield spray-on for the protection of all the commonly struck areas of the sheep (Table 1).

Table 1	2 bands for sheep between 11-25kg				4 bands for sheep between 26-50kg				5 bands for sheep between 51-70kg	
Liveweight (kg)	11-15	16-20	21-25	26-30	31-35	36-40	41-50	51-60	61-70	
No. of bands	2	2	2	4	4	4	4	5	5	
Vol. per band (mL)	10	14	18	11	13	15	17.5	17	20	
Total vol applied (mL)	20	28	36	44	52	60	70	85	100	
Sheep Treated per 10L	500	357	277	227	192	166	142	117	100	
Sheep Treated per 20L	1000	714	554	454	384	332	284	234	200	


WARNING: Dangerous to the Environment. Harmful to aquatic life. Avoid contamination of any water supply with product or empty container. **HANDLING PRECAUTIONS:** May cause skin irritation. May cause eye damage. Avoid contact with skin and eyes. Wear face and eye protection. Cyromazine may possibly affect blood and the haemopoietic system. Acetic acid may possibly damage lungs following inhalation. Handle with care. Wash hands and exposed skin before meals and after work. **FIRST AID:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If eye contact occurs, hold eyes open and rinse cautiously with water for several minutes. For advice, contact a doctor or the National Poisons Centre 0800 POISON (0800 764 766) immediately. **EMERGENCY RESPONSE:** In case of spillage, wear appropriate protective clothing and prevent material from entering water ways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely. **DISPOSAL:** Preferably dispose of product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Triple rinse container and dispose of rinsate away from waterways. Burn in an appropriate incinerator, if circumstances such as wind direction permit, otherwise crush or puncture and bury in a suitable landfill.



Registered to
Alleva Animal Health Ltd
15 Calman Place,
Birkenhead, Auckland

B.
EXP.

Diagram 2



Application and dose rate of Cyrosshield spray-on for the croch only (Table 2).

Table 2	2 bands for sheep between 11-25kg				3 bands for sheep between 26-50kg				4 bands for sheep between 51-70kg	
Liveweight (kg)	11-15	16-20	21-25	26-30	31-35	36-40	41-50	51-60	61-70	
No. of bands	2	2	2	3	3	3	3	4	4	
Vol. per band (mL)	7.5	10.5	13.5	11	13	15	17.5	16	18.5	
Total vol applied (mL)	15	21	27	33	39	45	52.5	64	74	
Sheep Treated per 10L	666	476	370	303	256	222	190	156	135	
Sheep Treated per 20L	1332	952	740	606	512	444	380	312	270	



Application and dose rate at docking for the prevention of flystrike: Apply 5-10mls over the croch ensuring that sufficient product is applied to cover the area to be protected.

STORAGE

Store in original container, tightly closed, away from direct sunlight, in a cool dry place, avoiding temperatures below 0°C and above 35°C.

Registered Pursuant to the ACVM Act 1997, No. A11451
See www.foodsafety.govt.nz/acvm for registration conditions.

WITHHOLDING PERIODS:

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

MEAT: Sheep producing meat or offal for human consumption must not be sold for slaughter either during treatment or within 21 days of the last treatment.

MILK: Milk intended for sale for human consumption must be discarded during treatment and for not less than 35 days following the last treatment

WOOL RESIDUES: Ensure the timing between dipping and subsequent shearing is at least two months, except in case of spot treatment for flystrike. For advice on your dipping programme, contact your supplier.

CONDITIONS OF SALE: Product sold by Alleva Animal Health Ltd will be suitable for use in the manner stated on the label. As Alleva Animal Health Ltd do not have any control over the way in which this chemical is used and the timing of application, Alleva Animal Health Ltd will not guarantee any application results. Liability will not be accepted for any loss arising through application, handling, storage and transport of the goods.

FREE RECYCLING



agrecovery.co.nz

