

WARNING
FOR ANIMAL TREATMENT ONLY
WARNING DANGEROUS TO THE ENVIRONMENT

ICON^F INJECTION

FOR THE TREATMENT & CONTROL OF INTERNAL & EXTERNAL
PARASITES OF CATTLE, INCLUDING ADULT LIVER FLUKES

Active Constituent: 10g/L Ivermectin & 100g/L Clorsulon

DOSAGE GUIDE: 1ml/50kg bodyweight (0.2mg ivermectin and 2mg clorsulon / kg bodyweight)
by **SUBCUTANEOUS INJECTION** in the anterior half
of the neck.

Bodyweight (kg)	Dose (mL)	500mL Treats
101-150	3.0	166
151-200	4.0	125
201-250	5.0	100
251-300	6.0	83
301-350	7.0	71
351-400	8.0	62
401-450	9.0	55
451-500	10.0	50
501-550	11.0	45

For cattle over 550kg dose at 1ml/50kg

B.

EXP

WITHHOLDING TIMES:

MEAT: 28 days

MILK: 14 days

STORAGE:

Store below 25°C.

Protect from light.

ACVM Registration No. A11186

NET CONTENTS: 500ml



Registered to
Alleva Animal Health Ltd
15 Calman Place,
Birkenhead, Auckland