

WARNING:
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY
READ ENCLOSED LEAFLET BEFORE USING THIS PRODUCT

n e x e p r i n[®]
MICROJECT[™]

**SUBCUTANEOUS INJECTION FOR THE TREATMENT
& CONTROL OF INTERNAL PARASITES OF CATTLE**

Active Constituent: 20g/L Eprinomectin
Contains: 50g/L Vitamin E

DOSAGE GUIDE: 1ml/100kg body weight (0.2mg eprinomectin / kg body weight) by subcutaneous injection in the anterior half of the neck.

Bodyweight (kg)	Dose (mL)	500mL Treats
101-125	1.25	400
126-150	1.50	333
151-175	1.75	285
175-200	2.00	250
201-225	2.25	222
226-250	2.50	200
251-275	2.75	181
276-300	3.00	166
300-350	3.50	142
350-400	4.00	124

For cattle over 400kg dose at 1ml/100kg.

B.

Exp

DIRECTIONS OF USE:
Apply NEXEPRIN[®] MICROJECT[™] via subcutaneous route only, by injecting under the skin on the neck.

WITHHOLDING TIMES:

MEAT: 14 days

MILK: Nil

STORAGE:

Store below 25°C.

Protect from light.

ACVM Registration No. A10854

NET CONTENTS: 500ml



Registered to
Alleva Animal Health Ltd
15 Calman Place,
Birkenhead, Auckland